

MISKIN & TSUI-YIP LLP  
SERIAL NO. 09/849,635  
DOCKET 551-P-002

**c. REMARKS**

**STATUS OF THE CLAIMS**

Pending independent claims 38, 39, 42 and 46 have been amended to clarify certain claim elements

Newly presented independent claim 50 has been added that includes certain recitations of independent claim 42 and recitations to the disclosure of the clamp assembly as disclosed in Fig. 1 of the application.

**THE OFFICE ACTION**

In the Office Action of August 7, 2008, the Office

- a. rejected claims 2 - 16, 20 - 35, and 37 - 49 on the basis of 35 U.S.C. § 112, second paragraph, as being indefinite;
- b. objected to claims 2, 3, 6, 7, 21, 33, and 39 under 35 U.S.C. 101 as double patenting should claims 42 and 46 be found allowable;
- c. rejected claims 2-16, 20-35, 37, 38, and 40 - 45 under 35 U.S.C. 102(b) as being anticipated by U.S. Patent No. 3,493,206 to Albro ("Albro") and
- d. rejected claims 2-16, 20-35, 37-41, and 46 - 49 under 35 U.S.C. 102(b) as being anticipated by U.S. Patent No. 2,246,557 to Walters ("Walters").

MISKIN & TSUI-YIP I.L.P.  
SERIAL NO. 09/849,635  
DOCKET 551-P-002

### **INDEFINITENESS**

Applicant has amended independent claims 38, 39, 42, and 46 to recite that the combination comprises "a coupling member, an electrical wire-carrying conduit, a connecting member, and a clamping member", thereby positively reciting the combination.

### **DOUBLE PATENTING**

Applicant notes that the Office has made this objection advisory "Applicant is advised that should claim 42 [or 46] be found allowable... ." As a consequence the objection is contingent on a future finding of allowability and need not be addressed at the present time. Applicant does point out that each of claims 2, 3, 6, 7, 21, 33, and 39 taken singly in conjunction with respective independent claims 38 and 39 recite a different set of elements than claims 42 and 46.

### **ANTICIPATION BY ALBRO**

#### **THE OFFICE HAS NOT REJECTED CLAIMS 2-16, 20-35, 37, 39, 40, AND 41.**

The Office rejects claims 2-16, 20-35, 37, 38, 39, 40, and 41 by stating that

In regards to claims 2-16, 20-35, 37, 38, 40 and 41, Albro discloses a combination of a coupling member (10), an electrical wire-carrying conduit (p), and a connecting member (15) for positioning and securing said conduit to a remote supporting structure, said combination comprising:

an said electrical wire-carrying conduit having opposite ends; a said coupling member receiving and supporting said conduit, said coupling member comprises a tubular member having a longitudinal axis and at least one end, said end receiving one end of said conduit along said longitudinal axis, and said tubular member having a wall containing an aperture adapted to face the remote supporting structure; and

said connecting member having opposite ends, one end of said connecting member securely engaging said aperture in said

MISKIN & TSUI-YIP LLP  
SERIAL NO. 09/849,635  
DOCKET 551-P-002

wall of said tubular member, the opposite end of said connecting member extending outwardly beyond said wall and adapted to securely engage the remote supporting structure, to securely hold and support said coupling member and said conduit in a selected position.

Office Action, page 2.

Except for the addition of the drawing element numbers (10, p, and 15) and the use of the indefinite article before "said electrical wire-carrying conduit" and "said coupling member", this is the exact language of independent claim 38. Consequently, Albro has not been applied to any other claim.

Albro has not been applied against independent claim 39. Therefore, the Office has conceded that independent claim 39 is not anticipated by Albro. Significantly, independent claim 39 is not listed by the Office as being rejected on Albro.

Albro has not been applied against the remaining dependent claims, 2-16, 20-35, 37, 40, and 41. Therefore, the Office has conceded that dependent claims 2-16, 20-35, 37, 39, 40, and 41 are not anticipated by Albro.

**THE REJECTION IS NOT COMPLIANT WITH 35 U.S.C. 132 AND 37 C.F.R. 1.104(C)(2).**

Section 132 (35 U.S.C.A. 132) requires that

35 U.S.C. 132 Notice of rejection; reexamination.

(a) Whenever, on examination, any claim for a patent is rejected, or any objection or requirement made, the Director shall notify the applicant thereof, stating the reasons for such rejection, or objection or requirement, together with such information and references as may be useful in judging of the propriety of continuing the prosecution of his application; and if after receiving such notice, the applicant persists in his claim for a patent, with or without amendment, the application shall be reexamined. No amendment shall introduce new matter into the disclosure of the invention.

ROA20090504\_Final20090706 (3)

MISKIN & TSUI-YIP LLP  
SERIAL NO. 09/849,635  
DOCKET 551-P-002

Rule 104(c)(2) (37 C.F.R. 1.104(c)(2)) requires that

*(c) Rejection of claims.*

\* \* \* \* \*

(2) In rejecting claims for want of novelty or for obviousness, the examiner must cite the best references at his or her command. When a reference is complex or shows or describes inventions other than that claimed by the applicant, the particular part relied on must be designated as nearly as practicable. The pertinence of each reference, if not apparent, must be clearly explained and each rejected claim specified.

Applicant respectfully submits that the statement of a ground for rejection and the recitation of the text of a single rejected independent claim is not compliant with either the statute or the rules. While the Office has stated its conclusion, it has not given any supporting reasoning.

**THE OFFICE HAS NOT ESTABLISHED A PRIMA FACIE CASE OF ANTICIPATION BY ALBRO.**

In order to establish a *prima facie* case of anticipation, each and every element in the claim must be found in the reference. See, MPEP ¶ 2131 as follows:

**TO ANTICIPATE A CLAIM, THE REFERENCE MUST TEACH EVERY ELEMENT OF THE CLAIM**

"A claim is anticipated only if each and every element as set forth in the claim is found, either expressly or inherently described, in a single prior art reference." *Verdegual Bros. v. Union Oil Co. of California*, 814 F.2d 628, 631, 2 USPQ2d 1051, 1053 (Fed. Cir. 1987).

Applicant respectfully submits that the statement of a ground for rejection and the recitation of the text of a single rejected independent claim does not establish a *prima facie* case of anticipation.

RECEIVED  
CENTRAL FAX CENTER  
JUL 06 2009

MISKIN & TSUI-YIP LLP  
SERIAL NO. 09/849,635  
DOCKET 551-P-002

**ALBRO DOES NOT ANTICIPATE CLAIM 38.**

Applicant submits that Albro does not anticipate for at least the basis that Albro discloses an adjustable pipe hanger. Albro states

Referring first to FIG. 3, a split cradle member 10 which, for example, may be formed of a plastic material such as Type 1 polyvinyl chloride, is provided with an inner diameter which when the hanger is installed to support pipe P will afford a suitable clearance for such pipe.

The cradle member 10 is not a coupling member. A cradle is not a coupling. See, McGraw-Hill Dictionary of Scientific and Technical Terms, Second Edition (1978), as follows:

Cradle. [ENG] A framework or resting place for the supporting or restraining objects.

McGraw-Hill Dictionary of Scientific and Technical Terms, Second Edition (1978), page 375.

Coupling. [ENG] Any device that serves to connect the ends of adjacent parts, as railroad cars.

McGraw-Hill Dictionary of Scientific and Technical Terms, Second Edition (1978), page 373.

**ANTICIPATION BY WALTERS**

**THE OFFICE HAS NOT REJECTED CLAIMS 2-16, 20-35, 37, 39, 40, AND 41.**

The Office rejects claims 2-16, 20-35, and 37-41 by stating that

In regards to claims 2-16, 20-35, and 37-41, Walters discloses a combination of a coupling member (7), an electrical wire-carrying conduit (2,2'), and a connecting member (25) for positioning and securing said conduit to a remote supporting structure, said combination comprising:

an said electrical wire-carrying conduit having opposite ends;

said coupling member receiving and supporting said conduit, said coupling member comprises a tubular member having a

MISKIN & TSUI-YIP LLP  
SERIAL NO. 09/849,635  
DOCKET 551-P-002

longitudinal axis and at least one end, said end receiving one end of said conduit along said longitudinal axis, and said tubular member having a wall containing an aperture adapted to face the remote supporting structure; and

said connecting member having opposite ends, one end of said connecting member securely engaging said aperture in said wall of said tubular member, the opposite end of said connecting member extending outwardly beyond said wall and adapted to securely engage the remote supporting structure, to securely hold and support said coupling member and said conduit in a selected position.

Office Action, page 2.

Except for the addition of the drawing element numbers (7, 2, 2', and 25) and the use of the indefinite article before "said electrical wire-carrying conduit", this is the exact language of independent claim 38.

Walters has not been applied against independent claim 39. Therefore, Applicant respectfully submits that the Office has conceded that independent claim 39 is not anticipated by Walters.

Walters has not been applied against the remaining dependent claims, 2-16, 20-35, 37, 40, and 41. Therefore, Applicant respectfully submits that the Office has conceded that dependent claims 2-16, 20-35, 37, 39, 40, and 41 are not anticipated by Walters.

**THE REJECTION IS NOT COMPLIANT WITH 35 U.S.C. 132 AND 37 C.F.R. 1.104(C)(2).**

Section 132 (35 U.S.C.A. 132) requires that

35 U.S.C. 132 Notice of rejection; reexamination.

(a) Whenever, on examination, any claim for a patent is rejected, or any objection or requirement made, the Director shall notify the applicant thereof, stating the reasons for such rejection, or objection or requirement, together with such information and references as may be useful in judging of the propriety of continuing the prosecution of his application; and if after receiving such notice, the applicant persists in his claim for a patent, with or without amendment, the application shall be reexamined. No

MISKIN & TSUI-YIP LLP  
SERIAL NO. 09/849,635  
DOCKET 551-P-002

amendment shall introduce new matter into the disclosure of the invention.

Rule 104(c)(2) (37 C.F.R. 1.104(c)(2)) requires that

*(c) Rejection of claims.*

\* \* \* \* \*

(2) In rejecting claims for want of novelty or for obviousness, the examiner must cite the best references at his or her command.

When a reference is complex or shows or describes inventions other than that claimed by the applicant, the particular part relied on must be designated as nearly as practicable. The pertinence of each reference, if not apparent, must be clearly explained and each rejected claim specified.

Applicant respectfully submits that the statement of a ground for rejection and the recitation of the text of a single rejected independent claim is not compliant with either the statute or the rules. While the Office has stated its conclusion, it has not given any supporting reasoning.

**THE OFFICE HAS NOT ESTABLISHED A PRIMA FACIE CASE OF ANTICIPATION BY WALTERS.**

In order to establish a *prima facie* case of anticipation, each and every element in the claim must be found in the reference. See, MPEP ¶ 2131 as follows:

TO ANTICIPATE A CLAIM, THE REFERENCE MUST TEACH EVERY ELEMENT OF THE CLAIM

"A claim is anticipated only if each and every element as set forth in the claim is found, either expressly or inherently described, in a single prior art reference." *Verdegaal Bros. v. Union Oil Co. of California*, 814 F.2d 628, 631, 2 USPQ2d 1051, 1053 (Fed. Cir. 1987).

Applicant respectfully submits that the statement of a ground for rejection and the recitation of the text of a single rejected independent claim does not establish a *prima facie* case of anticipation.

MISKIN & TSUI-YIP LLP  
SERIAL NO. 09/849,635  
DOCKET 551-P-002

**WALTERS DOES NOT ANTICIPATE CLAIMS 2-16, 20-35, 37, 39, 40, AND 41.**

Applicant submits that Walters does not anticipate for at least the basis that Walters discloses an adjustable pipe hanger that does not provide "a clamp assembly adapted to selectively and securely engage the remote supporting structure, to securely hold and support said coupling member and said conduit in a selected position, and to be removably engagable to said remote supporting structure" (independent claims 38, 39, 42, and 46.) In this respect Walters lacks a clamp assembly, *inter alia*. In addition, newly presented independent claims 40 and 46 include the recitations of independent claims 38 and 39, as amended, and the recitations of pending dependent claims 2, 3, 5, and 37 and, in addition, further recitations drawn from the disclosure of the specification.



MISKIN & TSUI-YIP LLP  
SERIAL NO. 09/849,635  
DOCKET 551-P-002

**NEITHER ALBRO NOR WALTERS ANTICIPATES NEW INDEPENDENT CLAIM 50.**

Applicant submits that neither Albro nor Walters anticipates for at least the basis that Albro and Walters disclose an adjustable pipe hanger that does not provide "a clamp assembly... adapted to selectively and securely engage the remote supporting structure to securely hold and support said coupling member and said conduit in a selected position, and to be removably engagable to said remote supporting structure" (independent claims 50).

MISKIN & TSUI-YIP LLP  
SERIAL NO. 09/849,635  
DOCKET 551-P-002

### CONCLUSION

By virtue of the foregoing amendments to the claims and remarks, Applicant submits that all outstanding grounds of rejection have been addressed and dealt with and, based thereon, submits that the application is now in condition for allowance and such action is respectfully solicited. Specifically, claims 2-16, 20-35, 37, 39, 40, and 41 are allowable because they have not been rejected. And claim 38 is allowable since it is not anticipated by either Albro or Walters for the reasons stated. Further, new claim 50 is patentable over Albro and Walters.

Respectfully submitted,



Howard C. Miskin, Esq.

Reg. No. 18999

Attorney for Applicant

MISKIN & TSUI-YIP, LLP

1350 Broadway, Suite 802

New York, NY 10118

(212) 268-0900